Index to Volume 54 (2003)

Authors and Titles

Aland, G. See Russell, D. J. et al. 813 Aldridge, K. T., and Ganf, G. G. Modification of sediment redox potential by three contrasting macrophytes:

> implications for phosphorus adsorption/desorption 87

Anderson, O. F., and Clark, M. R. Analysis of bycatch in the fishery for orange roughy, Hoplostethus atlanticus, on the South Tasman Rise 643

Andrew, N. L. See Breen, P. A. et al. 619 Arnould, J. P. Y., Trinder, D. M., and McKinley, C. P.

Interactions between fur seals and a squid jig fishery in southern Australia 979

Arthington, A. H. See Pusey, B. J., and Arthington, A. H. 1

Bailey, P. C. See Morris, K. et al. 185 See also Morris, K. et al. 201

Baremore, I. E. See Carlson, J. K., and Baremore, I. E. 227

Battaglene, S. C. See Ramofafia, C. et al. 657 Bax, N. See Deagle, B. E. et al. 709

Beatty, S. J., Morgan, D. L., and Gill, H. S. Reproductive biology of the large freshwater crayfish Cherax cainii in

south-western Australia 597 Becker, J. H. A. See Khan, R. N. et al. 653 Bell, R. W. See Qiu, S. et al. 243

Bellchambers, L. See Gopurenko, D. et al.

Birch, G. F. See Suh, J.-Y. et al. 767 See also Suh, J.-Y. et al. 885

Bird, F. L. See Katrak, G., and Bird, F. L.

Blount, C. See Hill, N. A. et al. 691 Bodsworth, A. G. See Findlay, J. D. et al.

Boggs, C. H. See Dalzell, P., and Boggs, C. H. 419

Boon, P. I. See Morris, K. et al. 185 See also Morris, K. et al. 201

Boubée, J. See Hartill, B. W. et al. 931 Breen, P. A., Kim, S. W., and Andrew, N. L.

A length-based Bayesian stock assessment model for the New Zealand abalone Haliotis iris 619

Brickhill, M. See Young, J. et al. 315 Brown, P. L. See Suh, J.-Y. et al. 885 See also Suh, J.-Y. et al. 767

Browne, G. See Holdsworth, J. et al. 473 Burton, C. See Moran, M. et al. 913

Butler, A. J. See Styan, C. A., and Butler, A. J.

Buxton, C. See Ewing, G. P. et al. 985 Byrne, M. See Ramofafia, C. et al. 657

Cailliet, G. M. See Mollet, H. F., and Cailliet, G. M. 739

Campbell, R. A., Pepperell, J. G., and Davis, T. L. O.

Use of charter boat data to infer the annual availability of black marlin. Makaira indica, to the recreational fishery off Cairns, Australia 447

Capo, T. R. See Serafy, J. E. et al. 299 Carlson, J. K., and Baremore, I. E.

Changes in biological parameters of Atlantic sharpnose shark Rhizoprionodon terraenovae in the Gulf of Mexico: evidence for densitydependent growth and maturity? 227

Carter, T. See Young, J. et al. 315 Carstens, N. See Sumpton, W. D. et al. 923 Celliers, L. See Schlever, M. H., and

Celliers, L. 967 Chenoweth, S. F., and Hughes, J. M. Speciation and phylogeography in Caridina indistincta, a complex of freshwater shrimps from Australian heathland streams 807

Chessman, B. C.

1 New sensitivity grades for Australian river macroinvertebrates 95

Church, A. G. See Kobayashi, T., and Church, A. G. 609

Clark, M. R. See Anderson, O. F., and Clarke, M. R. 643

Cobcroft, J. M., and Pankhurst, P. M. Sensory organ development in cultured striped trumpeter larvae Latris lineata: implications for feeding behaviour 669

Congdon, B. C. See Smithers, B. V. et al. 973 Cortés, E. See Lombardi-Carlson, L. A. et al.

Cowen, R. K. See Serafy, J. E. et al. 299 Cowley, P. D. See Ebert, D. A., and Cowley, P. D. 957

Craig, J. R. See Montgomery, S. S., and Craig, J. R. 847

Craig. P.

Obituary: Peter Eric Holloway (1953-2002)

Cross, C. M. See Findlay, J. D. et al. 535 Crowther, A. L. See Khan, R. N. et al. 653

Dalzell, P., and Boggs, C. H.

Pelagic fisheries catching blue and striped marlins off the US Western Pacific islands 419

Davis, J. A. See Qiu, S. et al. 243 Davis, T. L. O. See Campbell, R. A. et al. 447

Davy, K. B. See Ortiz, M. et al. 489 De Deckker, P. See Radke, L. C. et al. 895 Deagle, B. E., Bax, N., Hewitt, C. L., and

Development and evaluation of a PCRbased test for detection of Asterias (Echinodermata: Asteroidea) larvae in Australian plankton samples from ballast water 709

Deguara, K. See Smith, K. A., and Deguara, K. 57

Dewar, H. See Domeier, M. L. et al. 435 Ditton, R. B., and Stoll, J. R.

Social and economic perspective on recreational billfish fisheries 545

Doi, H., Kikuchi, E., Hino, S., Itoh, T., Takagi, S., and Shikano, S.

Isotopic (δ13C) evidence of autochthonous origin of sediment organic matter in the small and acidic Lake Katanuma, Japan

Domeier, M. L., Dewar, H., and Nasby-Lucas, N.

Mortality rate of striped marlin (Tetrapturus audax) caught with recreational tackle 435

Drake, A. See Young, J. et al. 315 Duggan, I. C. See Hampton, S. E., and Duggan, I. C. 797

Ebert, D. A., and Cowley, P. D. Diet, feeding behaviour, and habitat utilisation of the blue stingray, Dasyatis chrysonota (Smith, 1828) in South African waters 957

Ewing, G. P., Welsford, D. C., Jordan, A. R., and Buxton, C.

Validation of age and growth estimates using thin otolith sections from the purple wrasse, Notolabrus fucicola 985

Farley, J. See Young, J. et al. 315 Findlay, J. D., Cross, C. M., and Bodsworth, A. G.

Marlin fisheries management in Australia 535

Finston, T. See Radke, L. C. et al. 895 Fogarty, M. J. See Miller, T. J. et al. 737 Fonteneau, A., and Richard, N.

Relationship between catch, effort, CPUE and local abundance from non-target species, such as billfishes, caught by Indian Ocean longline fisheries 383

Fowler, A. J., and Jennings, P. R.

Dynamics in 0+ recruitment and early life history for snapper (Pagrus auratus, Sparidae) in South Australia 941

Frisk, M. G. See Miller, T. J. et al. 737 Fritsches, K. A., Marshall, N. J., and Warrant, E. J.

Retinal specializations in the blue marlin: eyes designed for sensitivity to low light levels 333

Ganf, G. G. See Aldridge, K. T., and Ganf, G. G. 87

See also Kennedy, S. A. et al. 825 Gill, H. S. See Beatty, S. J. et al. 597

Gladstone, W., and Schreider, M. J. Effects of pruning a temperate mangrove

forest on the associated assemblages of macroinvertebrates 683

Goodyear, C. P.

Tests of the robustness of habitatstandardized abundance indices using simulated blue marlin catch-effort data 369

Blue marlin mean length: simulated response to increasing fishing mortality 401

Spatio-temporal distribution of longline catch per unit effort, sea surface temperature and Atlantic marlin 409

See also Peel, E. et al. 575

Gopurenko, D., Hughes, J. M., and Bellchambers, L.

Colonisation of the south-west Australian coastline by mud crabs: evidence for a recent range expansion or human-induced translocation? 833

Graves, J. E., and McDowell, J. R.

Stock structure of the world's istiophorid
billfishes: a genetic perspective 287

Griffiths, S. P.
Spatial and temporal dynamics of temperate Australian rockpool ichthyofaunas 163

Gunn, J. S., Patterson, T. A., and Pepperell, J. G.

Short-term movement and behaviour of black marlin *Makaira indica* in the Coral Sea as determined through a pop-up satellite archival tagging experiment 515

Gupta, L. P., and Kawahata, H.
Biogeochemical processes and labile
composition of settling particulate
organic matter in the south-west Pacific
Ocean 259

Halbach, P. See Sander, S. et al. 745 Halse, S. A. See Radke, L. C. et al. 895 Hamilton, D. P. See Robson, B. J., and Hamilton, D. P. 139

Hampton, S. E., and Duggan, I. C.
Diel habitat shifts of macrofauna in a
fishless pond 797

Harada, K. See Miyasaki, T., and Harada, K. 235

 Harman, N., Harvey, E. S., and Kendrick, G. A.
 Differences in fish assemblages from different reef habitats at Hamelin Bay, south-western Australia 177

Hartill, B. W., Morrison, M. A., Smith, M. D., Boubée, J., and Parsons, D. M. Diurnal and tidal movements of snapper (*Pagrus auratus*, Sparidae) in an estuarine environment 931

Harvey, E. S. See Harman, N. et al. 177 Hewitt, C. L. See Deagle, B. E. et al. 709 Heyward, A. J. See Jones, R. J., and

Heyward, A. J. 153

Hill, N. A., Blount, C., Poore, A. G. B., Worthington, D., and Steinberg, P. D. Grazing effects of the sea urchin Centrostephanus rodgersii in two contrasting rocky reef habitats: effects of urchin density and its implications for the fishery 691

Hillyer, M. J. See Hughes, J. M., and Hillyer, M. J. 587 Hino, S. See Doi, H. et al. 253 Hinton, M. G.

Status of swordfish stocks in the eastern Pacific Ocean estimated using data from Japanese tuna longline fisheries 393

Hinton, M. G. See Kleiber, P. et al. 349 Hirst, P. See Johnston, S. G. et al. 781 Holdsworth, J., Saul, P., and Browne, G.

Factors affecting striped marlin catch rate in the New Zealand recreational fishery 473

See also Ortiz, M. et al. 489

Holland, K. N.

A perspective on billfish biological research and recommendations for the future 343

Holts, D. B. See Ortiz, M. et al. 489 Hoolihan, J.

Sailfish movement in the Arabian Gulf: a summary of tagging efforts 509

Hughes, J. M. See Chenoweth, S. F., and Hughes, J. M. 807

See also Gopurenko, D. et al. 833

 Hughes, J. M., and Hillyer, M. J.
 Patterns of connectivity among populations of *Cherax destructor* (Decapoda: Parastacidae) in western Oueensland, Australia 587

Hughes, L. See Morris, K. et al. 185 See also Morris, K. et al. 201

Humphrey, C., Klumpp, D. W., and Pearson, R. G.

Early development and growth of the eastern rainbowfish, *Melanotaenia splendida splendida* (Peters) I.

Morphogenesis and ontogeny 17

Early development and growth of the eastern rainbowfish, *Melanotaenia splendida splendida* (Peters) II. Otolith development, increment validation and larval growth 105

Hutchings, K., and Lamberth, S. J.

The likely impacts of an eastward expansion of the inshore gill-net fishery in the Western Cape, South Africa: implications for management 39

Itoh, T. See Doi, H. et al. 253

James, P. J. See Woods, C. M. C., and James, P. J. 853

Jeffs, A., Tolimieri, N., and Montgomery, J. C. Crabs on cue for the coast: the use of underwater sound for orientation by pelagic crab stages 841

Jenke, J. See Moran, M. et al. 913 Jennings, P. R. See Fowler, A. J., and Jennings, P. R. 941

Johnston, S. G., Slavich, P. G., Sullivan, L. A., and Hirst, P.

Artificial drainage of floodwaters from sulfidic backswamps; effects on deoxygenation in an Australian estuary 781 Jones, R. J., and Heyward, A. J.

The effects of Produced Formation Water
(PFW) on coral and isolated symbiotic
dinoflagellates of coral 153

Jordan, A. R. See Steer, M. A. et al. 217 See also Ewing, G. P. et al. 985 Juggins, S. See Radke, L. C. et al. 895

Katrak, G., and Bird, F. L.

Comparative effects of the large
bioturbators, *Trypaea australiensis* and *Heloecius cordiformis*, on intertidal
sediments of Western Port, Victoria,
Australia. 701

Kawahata, H. See Gupta, L. P., and Kawahata, H. 259

Kefford, B. J., Papas, P. J., and Nugegoda, D.
Relative salinity tolerance of macroinvertebrates from the Barwon River, Victoria, Australia 755
Kendrick, G. A. See Harman, N. et al. 177
Kennedy, S. A., Ganf, G. G., and
Wolley, K. F.

Walker, K. F.

Does sallinity influence the distribution of exotic willows (*Salix* spp.) along the

Lower River Murray? 825 Keough, M. J. See Morris, L., and Keough, M. J. 859

Khan, R. N., Becker, J. H. A., Crowther, A. L., and Lawn, I. D.

Sea anemone host selection by the symbiotic saddled cleaner shrimp *Periclimenes holthuisi* 653 Kikuchi, E. *See* Doi, H. *et al.* 253

Kim, S. W. See Breen, P. A. et al. 619 Kingsford, M. J. See Pitt, K. A., and Kingsford, M. J. 117

Kistle, S. E. See Russell, D. J. et al. 813 Kleiber, P., Hinton, M. G., and Uozumi, Y. Stock assessment of blue marlin (Makaira nigricans) in the Pacific using MULTIFAN-CL 349

Klett-Traulsen, A. See Ortega-García, S. et al. 483

Klumpp, D. W. See Humphrey, C. et al. 17 See also Humphrey, C. et al. 105 Kobayashi, T., and Church, A. G.

Role of nutrients and zooplankton grazing on phytoplankton growth in a temperate reservoir in New South Wales, Australia 609

Koschinsky, A. See Sander, S. et al. 745 Krockenberger, A. K. See Smithers, B. V. et al. 973

Lamberth, S. J. See Hutchings, K., and Lamberth, S. J. 39

Lawn, I. D. See Khan, R. N. et al. 653 Lombardi-Carlson, L. A., Cortés, E., Parsons, G. R., and Manire, C. A.

Latitudinal variation in life-history traits of bonnethead sharks, *Sphyrna tiburo*, (Carcharhiniformes: Sphyrnidae) from the eastern Gulf of Mexico 875

Lowry, M. B. See Ortiz, M. et al. 489

Lowry, M., and Murphy, J.

Monitoring the recreational gamefish fishery off south-eastern Australia 425

Luckhurst, B. E.

Historical development of recreational billfishing in Bermuda and the significance of catches of large blue marlin (Makaira nigricans) 459

Luketina, D. See Sahoo, G. B., and Luketina, D.

Luthy, S. A. See Serafy, J. E. et al. 299

Manire, C. A. See Lombardi-Carlson, L. A.

Marshall, N. J. See Fritsches, K. A. et al. 333

Matveev, V. F. See Meredith, S. N. et al.

Mayes, P. See Meredith, S. N. et al. 1009 McComb, A. J. See Qiu, S. et al. 243 McDougall, A. J. See Russell, D. J. et al. 813 McDowell, J. R. See Graves, J. E., and McDowell, J. R. 287

McGlashan, D. J.
Editorial: Marine and Freshwater
Research – a new viewpoint page iii.

volume 54, number 1 McKinley, C. P. See Arnould, J. P. Y. et al.

McMahon, K. See Thompson, P. A. et al. 27
Meredith, S. N., Matveev, V. F., and Mayes, P.
Spatial and temporal variability in the
distribution and diet of the gudgeon

(Eleotridae : *Hypseleotris* spp.) in a subtropical Australian reservoir 1009

Miller, T. J., Frisk, M. G., and Fogarty, M. J. Comment on Mollet and Cailliet (2002): confronting models with data 737

Miyasaki, T., and Harada, K.

Effects of specific purine and pyrimidine compounds on the ingestion of test diets by the abalone *Haliotis discus* and the oriental weatherfish *Misgurnus* anguillicaudatus 235

Mollet, H. F., and Cailliet, G. M.

Reply to comments by Miller *et al.* (2003) on Mollet and Cailliet (2002): confronting models with data 739

Moltschaniwskyj, N. A. See Steer, M. A. et al. 217

Montgomery, J. C. See Jeffs, A. et al. 841 Montgomery, S. S., and Craig, J. R.

ontgomery, S. S., and Craig, J. R.

Effects of moon phase and soak time on catches of *Jasus* (*Sagmariasus*)

verreauxi recruits on collectors 847

Moran, M., Burton, C., and Jenke, J.
Long-term movement patterns of
continental shelf and inner gulf snapper
(Pagrus auratus, Sparidae) from tagging
in the Shark Bay region of Western
Australia 913

Morgan, D. L. See Beatty, S. J. et al. 597 Morris, K., Boon, P. I., Bailey, P. C., and Hughes, L. Alternative stable states in the aquatic vegetation of shallow urban lakes. I. Effects of plant harvesting and low-level nutrient enrichment 185

Morris, K., Bailey, P. C., Boon, P. I., and Hughes, L.

Alternative stable states in the aquatic vegetation of shallow urban lakes. II. Catastrophic loss of aquatic plants consequent to nutrient enrichment 201

Morris, L., and Keough, M. J.

Testing the effects of nutrient additions on mudflat macroinfaunal assemblages in the presence and absence of shorebird predators 859

Morrison, M. A. See Hartill, B. W. et al. 931 Murphy, J. See Lowry, M. et al. 425

Nasby-Lucas, N. See Domeier, M. L. et al. 435

Nelson, R. See Peel, E. et al. 575 Nugegoda, D. See Kefford, B. J. et al. 755

Okamura, H. See Takahashi, M. et al. 527 Okazaki, M. See Takahashi, M. et al. 527 Ortega-García, S., Klett-Traulsen, A., and Ponce-Díaz, G.

Analysis of sportfishing catch rates of striped marlin (*Tetrapturus audax*) at Cabo San Lucas, Baja California Sur, Mexico, and their relation to sea surface temperature 483

Ortiz, M., Prince, E. D., Serafy, J. E., Holts, D. B., Davy, K. B., Pepperell, J. G., Lowry, M. B., and Holdsworth, J. C. Global overview of the major consitutentbased billfish tagging programs and their results since 1954 489

Ovenden, J. R., and Street, R.

Genetic population structure of mangrove jack, *Litjanus argentimaculatus* (Forsskål) 127

Pankhurst, P. M. See Cobcroft, J. M., and Pankhurst, P. M. 669

Papas, P. J. See Kefford, B. J. et al. 755 Paris, C. B. See Serafy, J. E. et al. 299

Parsons, D. M. See Hartill, B. W. et al. 931Parsons, G. R. See Lombardi-Carlson, L. A. et al. 875

Patil, J. G. See Deagle, B. E. et al. 709
Patterson, T. A. See Gunn, J. S. et al. 515
Pearson, R. G. See Humphrey, C. et al. 17
See also Humphrey, C. et al. 105

Pease, B. C., Reynolds, D. P., and Walsh, C. T.
Validation of otolith age determination in
Australian longfinned river eels,
Anguilla reinhardtii 995

 Peck, D. R. See Smithers, B. V. et al. 973
 Peel, E., Nelson, R., and Goodyear, C. P.
 Managing Atlantic marlin as bycatch under ICCAT. The fork in the road: recovery or collapse 575

Pepperell, J. G.

Foreword to the Billfish Special Issue:
Proceedings of the Third International
Billfish Symposium, Cairns,
Queensland, Australia, 19–23 August
2001 page v, volume 54, number 4
See also Campbell, R. A. et al. 447
and Ortiz, M. et al. 489
and Gunn, J. S. et al. 515

Pitt, K. A., and Kingsford, M. J.

Temporal and spatial variation in
recruitment and growth of medusae of
the scyphozoan jellyfish, *Catostylus*mosaicus (Scyphozoa: Rhizostomeae)
117

Ponce-Díaz, G. See Ortega-García, S. et al. 483

Poore, A. G. B. See Hill, N. A. et al. 691, Prince, E. D. See Restrepo, V. et al. 361 See also Ortiz, M. et al. 489

Pusey, B. J., and Arthington, A. H.
Importance of the riparian zone to the
conservation and management of
freshwater fishes: a review 1

Qiu, S., McComb, A. J., Bell, R. W., and Davis, J. A.

Nutrient response to soil and litter metabolic activity in a transect across a seasonal wetland 243

Radke, L. C., Juggins, S., Halse, S. A., De Deckker, P., and Finston, T. Chemical diversity in south-eastern Australian saline lakes II: biotic implications 895

Ramofafia, C., Byrne, M., and Battaglene, S. C.

Development of three commercial sea cucumbers, Holothuria scabra, H. fuscogilva, and Actinopyga mauritiana: larval structure and growth 657

Restrepo, V., Prince, E. D., Scott, G. P., and Uozumi, Y.

ICCAT stock assessments of Atlantic billfish 361

Reynolds, D. P. See Pease, B. C. et al. 995 Richard, N. See Fonteneau, A., and Richard, N. 383

Robson, B. J., and Hamilton, D. P. Summer flow event induces a cyanobacterial bloom in a seasonal Western Australian estuary 139

Russell, D. J., Ryan, T. J., McDougall, A. J., Kistle, S. E., and Aland, G.

Species diversity and spatial variation in fish assemblage structure of streams in connected tropical catchments in northern Australia with reference to the occurrence of translocated and exotic species 813

Ryan, T. J. See Russell, D. J. et al. 813

Sahoo, G. B., and Luketina, D. Bubbler design for reservoir destratification 271 Sander, S., Koschinsky, A., and Halbach, P. Redox speciation of chromium in the oceanic water column of the Lesser Antilles and offshore Otago Peninsula, New Zealand 745

Saul, P. See Holdsworth, J. et al. 473 Sawynok, B. See Sumpton, W. D. et al. Schleyer, M. H., and Celliers, L.

Coral dominance at the reef-sediment interface in marginal coral communities at Sodwana Bay, South Africa 967

Schreider, M. J. See Gladstone, W., and Schreider, M. J. 683

Scott, G. P. See Restrepo, V. et al. 361 Serafy, J. See Venizelos, A. et al. 567 See also Ortiz, M. et al. 489

Serafy, J. E., Cowen, R. K., Paris, C. B., Capo, T. R., and Luthy, S. A. Evidence of blue marlin, Makaira nigricans, spawning in the vicinity of Exuma Sound, Bahamas 299

Shikano, S. See Doi, H. et al. 253 Slavich, P. G. See Johnston, S. G. et al. 781 Smith, B. B., and Walker, K. F.

Shrinkage of 0+ carp (Cyprinus carpio L.) after preservation in ethanol 113 Validation of the ageing of 0+ carp (Cyprinus carpio L.) 1005

Smith, K. A., and Deguara, K.

Formation and annual periodicity of opaque zones in sagittal otoliths of Mugil cephalus (Pisces: Mugilidae)

Smith, M. D. See Hartill, B. W. et al. 931 Smithers, B. V., Peck, D. R.,

Krockenberger, A. K., and Congdon, B. C. Elevated sea-surface temperature, reduced provisioning and reproductive failure of wedge-tailed shearwaters (Puffinus pacificus) in the southern Great Barrier Reef, Australia 973

Age and growth of black marlin, Makaira indica, in east coast Australian waters 307

Steer, M. A., Moltschaniwskyj, N. A., and Jordan, A. R.

Embryonic development of southern calamary (Sepioteuthis australis) within the constraints of an aggregated egg

Steinberg, P. D. See Hill, N. A. et al. 691 Stoll, J. R. See Ditton, R. B., and Stoll, J. R. 5/15

Street, R. See Ovenden, J. R., and Street, R. 127

Styan, C. A., and Butler, A. J.

Asynchronous patterns of reproduction for sympatric scallops, Chlamys bifrons and Chlamys asperrima (Bivalvia: Pectinidae), in South Australia 77

Sub. J.-Y., Brown, P. L., and Birch, G. F. Hydrogeochemical characteristics and importance of natural and anthropogenic influences on soil and groundwater in reclaimed land area adiacent to Port Jackson, Sydney, Australia 767

Geochemical factors affecting leachate composition derived from soils in reclaimed lands using laboratory fresh and saline water column experiments

Sullivan, L. A. See Johnston, S. G. et al. 781 Sumpton, W. D., Sawynok, B., and Carstens, N. Localised movement of snapper (Pagrus auratus, Sparidae) in a large subtropical embayment 923

Sutter, F. See Venizelos, A. et al. 567

Takagi, S. See Doi, H. et al. 253 Takahashi, M., Okamura, H., Yokawa, K., and Okazaki, M.

Swimming behaviour and migration of a swordfish recorded by an archival tag

Tanner, J. E.

Stability of optimal harvest regime under stochastic variation in prawn demographic rates and fishing strategies 635

Thompson, P., and Waite, A.

Phytoplankton responses to wastewater discharges at two sites in Western Australia 721

Thompson, P. A., Waite, A. M., and McMahon, K.

Dynamics of a cyanobacterial bloom in a hypereutrophic, stratified weir pool 27 Tolimieri, N. See Jeffs, A. et al. 841 Trinder, D. M. See Arnould, J. P. Y. et al. 979

Uozumi, Y.

Historical perspective of global billfish stock assessment 555 See also Restrepo, V. et al. 361 and Kleiber, P. et al. 349

Venizelos, A., Sutter, F., and Serafy, J. Use of minimum size regulations to achieve reduction targets for marlin landings in the Atlantic Ocean 567

Waite, A. M. See Thompson, P., and Waite, A.

See also Thompson, P. A. et al. 27 Walker, K. F. See Smith, B. B., and Walker, K. F. 113

See also Smith, B. B., and Walker, K. F.

and Kennedy, S. A. et al. 825 Walsh, C. T. See Pease, B. C. et al. 995 Warrant, E. J. See Fritsches, K. A. et al. 333 Welsford, D. C.

Interpretation of otolith microstructure in the early life-history stages of two temperate reef wrasses (Labridae) Welsford, D. C. See Ewing, G. P. et al. 985

Whitelaw, W.

Recreational billfish catches and gamefishing facilities of Pacific Island nations in the Western and Central Pacific Ocean 463

Woods, C. M. C., and James, P. J. Evaluation of visible implant fluorescent elastomer (VIE) as a tagging technique for spiny lobsters (Jasus edwardsii) 853 Worthington, D. See Hill, N. A. et al. 691

Yokawa, K. See Takahashi, M. et al. 527 Young, J., Drake, A., Brickhill, M., Farley, J., and Carter, T.

Reproductive dynamics of broadbill swordfish, Xiphias gladius, in the domestic longline fishery off eastern Australia 315